

## BIBLIOGRAPHIE

AFLAR-DGS. Recommandations nutritionnelles pour lutter contre les conséquences fracturaires de l'ostéoporose chez les personnes âgées (à paraître en 2000)

Agence Française de Sécurité Sanitaire des Aliments. Rapport sur la restauration scolaire, de la maternelle au lycée. A paraître.

Agence nationale d'accréditation et d'évaluation en santé. Recommandations pour la pratique clinique. Suivi du patient diabétique de type 2 à l'exclusion du suivi des complications. Paris, 1999, 157p.

AINSWORTH B.E., HASKELL W.L., LEON A.S., JACOBS D.R. Jr, MONTOYE H.J., SALLIS J.F., PAFFENBARGER R.S. Jr. Compendium of physical activities : classification of energy costs of human physical activities. Med Sci Sports Exerc, 1993 ; 25 : 71-80.

ALDERMAN M.H., ANDERSON S., BENNETT W., DRUECKE T.B. et al. Scientists' statement regarding data on the sodium-hypertension relationship and sodium health claims on food labeling. Nutr Rev 1997 ; 55 : 172-175.

Am. Heart J., 1998, 136, 480-90

American diabetes association. Annual meeting. Diabetes care, 1999, 22, 12 : 2078-82.

ANDERSON KM, CASTELLI WP, LEVY D. Cholesterol and mortality: 30 years of follow-up from the Framingham study. JAMA 1987; 257: 2176

APFELBAUM M. Risques et peurs alimentaires. Paris, Editions Odile Jacob, 1998.

ASCHERIO A., RIMM E.B., GIOVANNUCCI F.L., SPEIGELMAN D.,

ASCHERIO A., RIMM E.B., STAMPFER M.J., GIOVANNUCCI E.L., WILLETT W.C. Dietary intake of marine n 3 fatty acids, fish intake and the risk of coronary disease among men. N. Engl. J. Med. 1995, 332, 977-82

ASSMAN G. ed. MMV Medizin Verlag, München, 1989

ASSMAN G., SCHULTE H. Results and conclusions of the prospective cardiovascular Münster (PROCAM) study 87-121 In Lipid metabolism disorders and coronary heart disease

BARRERE X., VALEIX P., PREZIOSI P., BENSIMON M., PELLETIER B., GALAN P., HERCBERG S. Determinants of thyroid volume in healthy French adults participating in the SU.VI.MAX cohort. Clin Endocrinol 2000, 52, 273-278

BARRETT J.C. Mechanisms of multistep carcinogenesis and carcinogen risk assessment. Environ Health Perspect, 1993, 100 : 9-20.

BAUDOQUIN C., FARDELLONE P., THELOT B., JUVIN R., POTARD V., BEAN K., SEBERT J-L. Hip fractures in France : the magnitude and perspective of the problem. Osteoporosis Int, 1993 ; 3 : 43-49.

BENITO E. CABEZA E., MORENO V., OBRADOR A. AND BOSCH F.X. Diet and colorectal adenomas : a case-control study in Marjorca. Int J Cancer, 1993, 55, 213-219

BERRINO F., MUTI P., MICHELI A., BOLELLI G. et al.: Serum sex hormone levels after menopause and subsequent breast cancer. J Natl Cancer Inst, 1996, 88 ; 291-296.

BIRD C.L., SWENDSEID M.E., WITTE J.S., SHIKANY J.M., HUNT I.F., FRANKL HD., LEE E.R., LONGNECKER M.P. AND HAILE R.W. Red cell and plasma folate, folate consumption and risk of colorectal adenomatous polyps. *Cancer Epi Bio Prev*, 1995, 4 : 709-714.

BLOCK G., DRESSER C.M., HARTMAN A.M., CARROLL M.D. Nutrient sources in the American diet : quantitative data from the NHANES II survey II. Macronutrients and fats. *Am J Epidemiol*, 1985, 122, 27-40.

BLOCK G., PATTERSON B., SUBAR A. Fruit, vegetables, and cancer prevention: a review of the epidemiological evidence. *Nutr Cancer*, 1992, 18: 1-29.

BLOT I., TCHERNIA G., CHENAYER M. et al. La carence martiale chez la femme enceinte. *J Gynecol Obstet Biol Reprod*, 1980 ; 9 : 489-95.

BLOT W.J. Vitamin/mineral supplementation and cancer risk : international chemoprevention trials. *Proc Soc Exp Biol Med*, 1997, 216 (2) : 291-6

BLOT W.J., J.Y. LI, P.R. TAYLOR et al. Nutrition intervention trials in Linxian, China: supplementation with specific vitamin/mineral combinations, cancer incidence, and disease-specific mortality in the general population. *J. Natl. Cancer Inst*, 1993, 85 : 1483-1492,.

BLUNDELL J.E., KING N.A. Overconsumption as a cause of weight gain : behavioral-physiological interactions in the control of food intake (appetite). In : *The origins and consequences of obesity*, Chadwick D., Cardew G. eds. Ciba Foundation Symposium 201. Wiley, Chichester, pp. 138-158.

BOGGIO V., GROSSIORD A., GUYON S., FUCHS F., FATINO M. - Consommation alimentaire des nourrissons et des enfants en bas âge en France en 1997. *arch. Pédiatr* 1999 ; 6 ; 740-7.

BORSON-CHAZOT F., GUADAGNINO L., BERNARD S., MOULIN P. Hyperhomocystéinémie et risqué vasculaire *Act. Med. Int. Métabolismes-Hormones-Nutrition*, 1999, 3, 31-34

BOUCHARD C., BLAIR S.N. Introductory comments for the consensus on physical activity and obesity. *Med Sci Sports Exerc*, 1999 ; 31 (Suppl 11): S509-14.

BOUSHEY C.J., BERESFORD S.A., OMENN G.S., MOTULSKY A.G. A quantitative assessment of plasma homocysteine as a risk factor for vascular disease. Probable benefits of increasing folic acid intakes. *JAMA*. 1995, Oct 4 ; 274 (13) :1049-57.

BRADLEY S., SHINTON R. Why is there an association between eating fruit and vegetables and a lower risk of stroke. *J. Hum. Nutr. Diet.*, 1998, 11, 363-72

BRAY G.A., POPKIN B.M. Dietary fat intake does affect obesity! *Am J Clin Nutr*, 1998 ; 68: 1157-73.

BRUCKERT E, EMMERICH J, THOMAS D, CHARPAK Y, BICHON L, CLERGEOT A. Influence d'une campagne d'information sur les facteurs de risque cardiovasculaire dans une ville Française (Epernon ville d'étude). *Rev. Epidem. et Santé Publ.*, 1994, 42 (2): 128-137

BRUCKERT E., EMMERICH J., THOMAS D., CHARPAK Y., BICHON L., CLERGEOT A. Influence d'une campagne d'information sur les facteurs de risque cardiovasculaire dans une ville française (Epernon ville d'étude). *Revue d'épidémiologie et de santé publique*, 1994, 42 (2): 128-137

BURR M.L., GILBERT J.F., HOLLIDAY R.M. et al. Effects of changes in fat, fish, and fiber intakes on death and myocardial reinfarction : diet and reinfarction trial (DART). *Lancet*, 1989, 2, 757-61

BUTTKE T., DANDSTROM P. Oxidative stress as a mediator of apoptosis. *Immun Today*, 15, 7-10, 1994.

BYERS T., GUERRERO N. Epidemiologic evidence for vitamin C and vitamin E in cancer prevention. *Am J Clin Nutr*, 1995, 62: 1385S-1392S.

CAMBOU J.P., ARVEILER D., AMOUYEL P., RUIDAVETS J.B., HAAS B., MONTAYE M., BINGHAM A., RICHARD J.L. La maladie coronaire en France : les données des registres MONICA (1985-1991) *Rev. Epidem. Santé Publ*, 1996, 44, S46-S52

CAMBOU J-P., ARVEILER D., AMOUYEL P. et al. La maladie coronaire en France : données des registres MONICA (1985-1991). *Rev. Epidemiol. et Santé Publ.*, 1996, 44 : S46 –S52

CAMBOU J-P., ARVEILER D., AMOUYEL P. et al. La maladie coronaire en France : données des registres MONICA (1985-1991). *Rev. Epidemiol. et Santé Publ.*, 1996, 44 : S46 –S52

CAMPFIELD L.A., SMITH F.J., BURN P. Strategies and potential molecular targets for obesity treatment. *Science*, 1998 ; 280 : 1383-7.

CHAN J.M., STAMPFER M.J., GIOVANNUCCI E., GANN P.H., MA J., WILKINSON P., HENNEKENS C.H., POLLAK M. Plasma insulin-like growth factor-I and prostate cancer risk: a prospective study. *Science*; 1998, 279 (5350) : 563-6.

CHAPUY MC, ARLOT ME, DUBOEUF F, BRUN J, CROUZET B, ARNAUD S, DELMAS PD, MEUNIER PJ Vitamin D3 and calcium to prevent hip fractures in elderly women. *N Engl J Med*, 1992, 327 : 1637-42.

CHAPUY M-C-, PREZIOSI P., MAAMER M., ARNAUD S., GALAN P., HERCBERG S., MEUNIER P-J. Prevalence of vitamin D insufficiency in an adult normal population. *Osteoporosis Int*, 1997, 7 :437-43.

CHAPUY M-C., CHAPUY P., MEUNIER P-J. Effect of calcium on vitamin D supplements on calcium metabolism in the elderly. *Am J Clin Nutr*, 1987, 46 : 324-28.

CHAPUY M-C., PREZIOSI P., MAAMER M., ARNAUD S., GALAN P., HERCBERG S, MEUNIER P-J. Prevalence of vitamin D insufficiency in an adult normal population. *Osteoporosis Int* , 1997, 7, 439-443.

CHAPUY M-C., SCHOTT A-M., GARNERO P., HANS D., DELMAS P-D., MEUNIER P-J. Healthy elderly French women living at home have secondary hyperparathyroidism and high bone turnover in winter. *J Clin Endocrinol Metab*, 1996, 81 :1129-33.

CHARLES M-A., THOMAS F., FONTBONNE A., BORYS J-M. , BOUTE D., TOURSEL C, FOSSATI P., ESCHWEGE E. *Familial approach of cardiovascular risk factors : the "Fleurbaix Laventie Ville Santé" study. Atherosclerosis X*. Woodford F.P., Davignon J. and Sniderman eds, Elsevier Sciences BV 1995,73-78.

CHEN J., GIOVANNUCCI E., KELSEY K., RIMM E.B., STAMPFER M.J., COLDITZ G.A., SPIEGELMAN D., WILLETT W.C., HUNTER D.J. A methylenetetrahydrofolate reductase polymorphism and the risk of colorectal cancer. *Cancer Res*, 1996, 1, 56 (21) : 4862-4

CIRC-OMS. Monographs on the evaluation of the carcinogenic risks of chemical in man. Certain Polycyclic Aromatic Hydrocarbons and Heterocyclic Compounds. Vol 3. Lyon, Centre International de Recherche sur le Cancer, 1973

CLARK L.C., DALKIN B., KRONGRAD A., COMBS G.F. JR, TURNBULL B.W., SLATE E.H., WITHERINGTON R., HERLONG J.H., JANOSKO E., CARPENTER D., BOROSSO C., FALK S., ROUNDER J. Decreased incidence of prostate cancer with selenium supplementation: results of a double-blind cancer prevention trial. *Br J Urol*. 1998 May; 81 (5) :730-4.

CLARKE R., FROST C., COLLINS R., APPLEBY P., PETO R. Dietary lipids and blood cholesterol: quantitative meta-analysis of metabolic ward studies. *Br. Med. J.*, 1997, 314:112-117

COAKLEY E.H., RIMM E.B., COLDITZ G., KAWACHI I., WILLETT W. Predictors of weight change in men : results from the Health Professionals Follow-Up Study. *Int J Obes*, 1998; 22 : 89-96.

COMA. Working group on diet and cancer. Nutritional aspects of the development of cancer. UK, Department of health report on health and social subjects, 1998, No 48. Norwich, HMSO.

COMBRIS P. La consommation d'aliments et de nutriments en France et dans les pays développés. *Let Sc IFN*, 56, mars 1998, 1-8.

COMBS G.F. AND GRAY W.P. Chemopreventive agents : Selenium. *Pharmacol ther*, 1998, 79 (3) : 179-92

Comité de nutrition de la Société française de pédiatrie. BEAUFRERE B., BRESSON J-L., BRIEND A., GHISOLFI J., GOULET O., NAVARRO J., PUTET G., RICOUR C., RIEU D., TURCK D., VIDAILHET M. Recommandations sur l'âge de la diversification alimentaire chez les nourrissons français. Document remis à la Direction générale de la Santé, avril 2000.

Comité Français d'éducation pour la santé. *Baromètre Santé Nutrition - Adultes*. CFES, 1996.

COMMUZIE A.G., ALLISON D.B. The search for human obesity genes. *Science*, 1998, 280 : 1374-7.

Conseil national de l'alimentation. La place de l'éducation alimentaire dans la construction des comportements alimentaires. Avis n°24, 1er avril 1999.

Conseil National de l'Alimentation. La restauration scolaire du premier cycle. . Avis n° 15, 20 octobre 1994

Conseil National de l'Alimentation. Les repas servis en restauration scolaire. Avis n°18, 30 septembre 1997.

CORPET D., GERBER M. Alimentation méditerranéenne et santé. I. Caractéristiques. Maladies cardio-vasculaires et autres affections. *Med Nutr*. 1997, 4, 129-142.

CREDES – *enquête Santé Protection Sociale 1996*. CREDES, nov 1997

CROST M., KAMINSKI M.- L'allaitement maternel à la maternité en France en 1995. Enquête nationale périnatale. *Arch. Pédiatr* 1998 ; 5 ; 1316-1325.

DAVIGLUS M.L., STAMLER J., OREWICIA A.J., DYER A.R., LIU K.L., GREENLAND P., WALSH M.K., MORRIS D., SHEKELLE R.B. Fish consumption and the 30 year risk of fatal myocardial infection. *N. Engl. J. Med*, 1997, 336, 1046-53.

DAWSON-HUGHES B., DALLAL G.E., KRALL E.A., HARRIS S., SOKOLL L.J., FALCONER G. Effect of vitamin D supplementation on wintertime and overall bone loss in healthy postmenopausal women. *Ann Intern Med*, 1991, 115 : 505-12.

DE BENAIZE C., GALAN P., WAINER R., HERCBERG S. Prevention de l'anémie ferropuvie au cours de la grossesse par un supplémentation martiale précoce : un essai contrôlé. *Rev Epidemiol Santé Publique*, 1989; 27 : 109-19

De LORGERIL M., SALEN P., MARTIN J.L. et al. Mediterranean diet, traditional risk factors, and the rate of cardiovascular complications after myocardial infarction. Final report of the Lyon diet heart study in secondary prevention of coronary heart disease. *Circulation*, 1999, 99: 779-785.

DECLOITRE F. Impacts des facteurs alimentaires sur les mécanismes de la cancérogenèse. *Cah Nutr Diét*, 1993, XXVIII : 85-95.

DECLOITRE F., GROSCLAUDE P., COLLET-RIBBING C. Situation du cancer en France et dans quelques pays occidentaux. . In : Riboli E., Decloitre F., Collet-Ribbing C. *Alimentation et cancer : Evaluation des données scientifiques*. Paris, Lavoisier, 1996, 19-40.

DECOSSE J.J., MILLER H.H., LESSER M.L. Effect of wheat fiber and vitamin C and E on rectal polyps in patients with familial adenomatous polyposis. *J Nat Cancer Inst*, 1989, 81, 1290-1297

DEHEEGER M., ROLLAND-CACHERA M-F., FONTVIEILLE A-M. Physical activity and body composition in 10-year-old French children: linkages with nutritional intake? *Int J Obesity*, 1997 ; 21,372-379.

DELCORT C., PAPOZ L. *Le diabète et ses complications dans la population française*. Paris : Ed. INSERM, 1996,106p.

DELVAUX K., LYSSENS R., PHILLIPAERTS R., THOMIS M., VANREUSEL B., CLAESSENS A.L., VANDEN EYNDE B., BEUNEN G., LEFEVRE J. Associations between physical activity, nutritional practices and health-related anthropometry in Flemish males : a 5-year follow-up study. *Int J Obes*, 1999 ; 23 : 1233-41.

DEWAILLY Ph, SEBERT JL, GARABEDIAN M, BELLONY R, BRAZIER M, MAAMER M, AGBOMSON E (1994). Prévalence de l'insuffisance vitaminique D chez le sujet âge institutionnalisé. In : Insuffisances calcique et vitaminique D : une nouvelle approche. Premier symposium international de pathologies osseuses. INNOTHERA.Paris.

DIPIETRO L. Physical activity in the prevention of obesity : current evidence and research issues. *Med Sci Sports Exerc*, 1999 ; 31 (Suppl 11) : S542-6.

DIPIETRO L. Physical activity, body weight, and adiposity : an epidemiologic perspective. *Exerc Sport Sci Rev*, 1995 ; 23 : 275-303.

DOLECEK T.A., GRANDITS G. Dietary polyunsaturated fatty acids and mortality in the multiple risk factor intervention trial (MRFIT) in SIMOPOULOS A.P., KIFER R.R.,

DOLL R., PETO. The causes of cancer : quantitative estimates of avoidable risks of cancer in the United States today. *J Natl Cancer Inst.*, 1981, 66, 1192-1308

DOLL R., PETO R. The cause of cancer : quantitative estimates of avoidable risks of cancer in the United States today. *J. Natl. Cancer Inst.*, 1981, 66, 1191-1308

DORGAN J.F., LONGCOPE C., STEPHENSON H.E. JR, FALK R.T et al. Relation of prediagnostic serum estrogen and androgen levels to breast cancer risk. *Cancer Epidemiol Biomarkers Prev.*, 1996, 5 ; 533-539, 1996.

DREES. Données sur la situation sanitaire et sociale en France. Paris, La Documentation française, 1999. 316 pages

DUCIMETIERE P., RICHARD J., CLAUDE J-R., WARNET J-M. Les cardiopathies ischémiques. Incidence et facteurs de risque. L'étude prospective parisienne. Paris, Editions INSERM, 1981

Effect of dietary patterns on ambulatory blood pressure. Results from the dietary approaches to stop hypertension (DASH). *Trial Hypertension*, 1999, 34, 472-7

Effects of cholesterol lowering diet on mortality from coronary heart disease and other causes. A twelve-year clinical trial in men and women. *Lancet*, 1972, 2 ;835-8.

EL-BAYOUMY K., CHAE Y.H., UPADHYAYA P., MESCHTER C., COHEN L.A. AND REDDY B.S. Inhibition of 7-12 dimethylbenz (a) anthracene-induced tumors and DNA adduct formation in the mammary glands of female Sprague-Dawley rats by the synthetic organoselenium compound, 1-4-phenylenebis (methylene) selenocyanate. *Cancer Res*, 1992, 52, 2402-2407.

ESTEVE J., KRICKER A., FERLAY J., PARKIN D.M. *Facts and figures of cancer in the European Community*. Lyon, Eds IARC, 1993

European Heart Network. Physical activity and cardiovascular disease prevention in the European Union. The European Heart Network, December 1999.

Fédération Nationale des Observatoires régionaux de la santé. *Base de données du site fnors.org*, 2000

FERLAY J., PARKIN D.M., PISANI P. *Globocan 1 : Cancer Incidence and Mortality Worldwide*. Lyon, Centre International de Recherche sur le Cancer, 1998,

FERRO-LUZZI A., MARTINO L. Obesity and physical activity. In : *The origins and consequences of obesity*. Ciba Foundation Symposium 201. Wiley, Chichester, 1996, pp. 207-227.

FERRY M., ALIX E., BROCKER P., CONSTANS T., LESOURD B., VELLAS B. *Nutrition de la personne âgée*. Paris, Berger-Levrault, 1996 (réédition 2000)

FLATT J.P. The difference in storage capacities for carbohydrate and for fat, and its implications in the regulation of body weight. *Ann NY Acad Sci*, 1987 ; 499 : 104-23.

FLOCH J-M, 1999. La fréquentation de la restauration scolaire dans les collèges publics. Note d'information n° 23. Paris : ministère de l'Education nationale, de la Recherche et de la Technologie, 1-6.

FOGELHOLM M., MÄNNISTÖ S., VARTIAINEN E., PIETINEN P. Determinants of energy balance and overweight in Finland 1982 and 1992. *Int J Obes*, 1996 ; 20 : 1097-104.

FRENCH S.A., JEFFERY R.W., FORSTER J.L., MC GOVERN P.G., KELDER S.H., BAXTER J.E. Predictors of weight change over two years among a population of working adults: the Healthy Worket Project. *Int J Obes*, 1994 ; 18 : 145-54.

FROST G., LEEDS A.A., DORE C.J. MADEIROS S., BRADING S., DORNHORST A.

FUMERON F., BETOULLE D., GERALD L. et al. Alcohol intake modulates the effect of a polymorphism of the cholesteryl ester transfer protein gene on plasma high density lipoprotein and the risk of myocardial infarction. *J Clin Invest*, 1995, 96, 1664-1671.

GALAN P., PREZIOSI P., TRIOL I., VALEIX P., VASQUEZ C., ALFAREZ M.J., HERCBERG S. Antioxydants et prévention. *Cah. Nut Diet*, 1998 ; 32, 6 : 359-370.

GALAN P., YOON H-C., PREZIOSI P., VITERI F., VALEIX P., FIEUX B., BRIANÇON S., MALVY D., ROUSSEL A., FAVIER A., HERCBERG S. Determining factors in the iron status of adult women in the SU.VI.MAX Study. *Eur J Clin Nutr*, 1998, 52, 383-388

GALE C.R., MARTYN C.N., WINTER P.D., COOPER C. Vitamin C and risk of death from stroke and coronary heart disease in cohort of elderly people. *Br. Med. J.*, 1995, 310, 1563-6.

GANN P.H., HENNEKENS C.H., MA J., LONGCOPE C., STAMPFER MJ. Prospective study of sex hormone levels and risk of prostate cancer. *J Natl Cancer Inst*; 1996, 88: 1118-26

GARDNER C.D., KRAEMER H.C. Monounsaturated versus polyunsaturated dietary fat and serum lipids. A metaanalysis. *Arterioscler. Thromb. Vas. Biol*, 1995, 15: 1917-1927

GERBER M. et al. Rapport à la Commission Européenne, 1999, DGXII, Fair CT 97 33.

GERBER M., CORPET D. Alimentation méditerranéenne et santé. II – *Cancers Méd Nut*, 1997, 4, 143-154.

GERHARDSSON DE VERDIER M., HAGMAN U., PETERS R., STEINECK G., OVERVIK E. Meat, cooking methods and colorectal cancer : a case referent study in Stockholm. *Int J Cancer*, 1991, 49, 520-525

GEY K.F., DUSKA P., TORDAN P., MOSER U.K. Inverse correlation between plasma vitamin E and mortality from ischemic heart disease in cross cultural epidemiology. *Am. J. Clin. Nutr*, 1991, 53 (suppl), 326S-34S

GIOVANNUCCI E., RIMM E.B., ASCHERIO A., STAMPFER M.J., COLDITZ G.A. AND WILLETT W.C. Alcohol, low-methionine-low-folate diets, and risk of colon cancer in men. *J Natl Cancer Inst*, 1995, 87 : 265-273

GISSI-Prevenzione Investigators. Dietary supplementation with n-3 polyunsaturated fatty acids and vitamin E after myocardial infarction: results of the GISSI-Prevenzione trial. *Lancet*, 1999, 354: 447-55

Glycaemic index as a determinant of serum HDL-cholesterol. *Lancet*, 1999, 353, 1045-48

GLYNN S.A., ALBANES D., PIETINEN P., BROWN C.C., RAUTALAHTI M., TANGREA J.A., GUNTER E.W., BARRETT M.J., VIRTAMO J. AND TAYLOR P.R. Colorectal cancer and folate status : a nested case-control study among male smokers. *Cancer Epi Bio Prev*, 1996, 5 : 487-494

GOLDBERG G.R., BLACK A.E., JEBB S.A. Critical evaluation of energy intake data using fundamental principles of energy physiology. 1 : Derivation of cut-off values to identify under-recording. *Eur J Clin Nutr* 1991; 45: 569-81.

GREEN. Aliments, alimentation et santé. CFES, 1996

GUEGUEN R., LONGIS M-J., HENG M-C., FOURNIER B. Géographie de la santé dans les Centres d'Examen de Santé, données 1994. *Document du Centre Technique d'Appui et de Formation (CETAF)*, Vandoeuvre-lès-Nancy, 1997, 115 p.

GUEZENNEC C-Y. et al. Enquête Sport et Santé. IMASSA, CERMA, 1995.

GUIZE L., RICHARD J-L. De l'épidémiologie en cardiologie. Projections, la santé au futur. 1990, 2, 127-134

GUIZE L., RICHARD J-L. De l'épidémiologie en cardiologie. Projections, la santé au futur. 1990, 2, 127-134

GUY-GRAND B., BASDEVANT A., LE BARZIC M. *Obésités de l'adulte*. In : *Traité de Médecine* (P. Godeau, S.Herson, J.C. Piette Eds.). , Paris, Flammarion Médecine-Sciences, 1996, pp. 1428-40.

HARRIS C.C. Chemical and physical carcinogenesis : advances and perspectives for the 1990s. *Cancer Res*, 1991, 51: 5023s-5044s.

Haut Comité de la santé publique. La progression de la précarité en France et ses effets sur la santé. Rennes, Eds ENSP, 1998, 349 p.

Haut Comité de Santé Publique. *Diabète : prévention, dispositifs de soins et éducation du patient*. Rennes, Eds ENSP, 1998, 76 pages

Haut Comité de Santé Publique. *La santé en France 1994-1998*. Paris, La Documentation Française, 1998, 309 pages

HEINI A.F., WEINSIER R.L. Divergent trends in obesity and fat intake patterns : the American paradox. *Am J Med*, 1997; 102 : 259-64.

HEITMANN B.L., LISSNER L. Dietary underreporting by obese subjects : is it specific or non specific? *Br Med J*, 1995; 311: 986-89.

HENNEKENS C.H., BURING J.E., MANSON J.E. et al. Lack of effect of long-term supplementation with beta-carotene on the incidence of malignant neoplasms and cardiovascular disease. *N. Eng J M*, 334: 1145-1149, 1996.

HERCBERG S. *Les aspects historiques de l'alimentation*. In : *La nutrition humaine : la recherche au service de la santé*. J-F. Desjeux, S. Hercberg eds. Editions INSERM/Nathan, 1996.

HERCBERG S. Les défis de l'approche épidémiologique dans le domaine de la nutrition dans les pays industrialisés. *Cah. Nut. Diet.*, 1991 , 26, 5-10.

HERCBERG S. Signification du décalage entre les apports conseillés et la réalité de terrain. *Info. Diététique*, 1999, 4, 6-8.

HERCBERG S. , BASDEVANT A. et al. Des objectifs pour une politique nutritionnelle de santé publique en France. Rapport d'un groupe d'experts à la Direction générale de la santé, 1999.

HERCBERG S., BICHON L., GALAN P., CHRISTIDES J-P., CARROGET C., POTIER DE COURCY G. Iron and folacin status of pregnant women : relationship with dietary intakes *Nutr Rep Int*, 1987 ; 56 : 915-30.

HERCBERG S., GALAN P., PREZIOSI P. et al. Background and rationale behind the SU.VI.MAX Study, a prevention trial using nutritional doses of a combination of antioxidant vitamins and minerals to reduce cardiovascular diseases and cancers. *Int. J. Vit. Nutr. Res.*, 1997a , in press.

HERCBERG S., GALAN P., PREZIOSI P., ALFAREZ M.J., VAZQUEZ C. The potential role of antioxidant vitamins in preventing and cancers. *Nutrition*, 1998, 15, 513-520.

HERCBERG S., GALAN P., PREZIOSI P., ROUSSEL A-M., ARNAUD J., RICHARD M-J., MALVY D., PAUL-DAUPHIN A., BRIANCON S., FAVIER A. Background and rationale behind the SU.VI.MAX Study. A prevention trial using nutritional doses of a combination of antioxidant vitamins and minerals to reduce cardiovascular diseases and cancers. *Supplementation en Vitamines et Minéraux Antioxydants Study*. *Int J Vitam Nutr Res.*, 1998 ; 68 (1):3-20

HERCBERG S., GALAN P., SOUSTRE Y., DOP M-C., DEVANLAY M., DUPIN H. Prevalence of iron deficiency during pregnancy in a French area. *Nutr. Rep. Int*, 1985 ; 32 : 719-26.

HERCBERG S., PREZIOSI P., BRIANÇON S. et al. A primary prevention trial of nutritional doses of antioxidant vitamins and minerals on cardiovascular diseases and cancers in general population : The SU.VI.MAX Study. Design, methods and participant characteristics. *Control Clin Trials*, 1997b, in press.

HERCBERG S., PREZIOSI P., BRIANÇON S., GALAN P., PAUL-DAUPHIN A., MALVY D., ROUSSEL A-M. , FAVIER A. A primary prevention trial of nutritional doses of antioxidant vitamins and minerals on cardiovascular diseases and cancers in general population : The SU.VI.MAX Study. Design, methods and participant characteristics. *Control Clin Trials*, 1998, 19: 336-351.

HERCBERG S., PREZIOSI P., BRIANCON S., GALAN P., TRIOL I., MALVY D., ROUSSEL A-M., FAVIER A. A primary prevention trial using nutritional doses of antioxidant vitamins and minerals in cardiovascular diseases and cancers in a general population: the SU.VI.MAX study-design, methods, and participant characteristics. *SUpplémentation en Vitamines et Minéraux AntioXydants. Control Clin Trials*, 1998 Aug ; 19 (4) :336-51.

HERCBERG S., PREZIOSI P., BRIANÇON S., GALAN P., MALVY D., ROUSSEL A-M., FAVIER A. Résultats intermédiaires de l'Etude SU.VI.MAX. 6<sup>ème</sup> Journée Annuelle SU.VI.MAX, Paris, 7 novembre 1998

HERCBERG S., PREZIOSI P., GALAN P., DEHEEGER M., PAPOZ L., DUPIN H. Apports nutritionnels d'un échantillon représentatif de la population du Val-de Marne : 3. Les apports en minéraux et vitamines. *Revue d'Epidémiologie et de Santé Publique*, 1991 : 245-262.

HERCBERG S., PREZIOSI P., GALAN P., DEHEEGER M. Apports nutritionnels d'un échantillon représentatif de la population du Val-de Marne : 2. Les apports en macronutriments. *Revue d'Epidémiologie et de Santé Publique*, 1991, 39 : 233-244.

HERCBERG S., PREZIOSI P., GALAN P., DEVANLAY M., KELLER H., BOURGEOIS C., POTIER DE COURCY G., CHEROUVRIER F. Vitamin status of a healthy french population : dietary intakes and biochemical markers. *International Journal for Vitamin and Nutrition Research*, 1994, 64 : 220-232.

HILL J.O., PRENTICE A.M. Sugar and body weight regulation. *Am J Clin Nutr*, 1995 ; 62 (Suppl): S264-74.

HIRAYAMA T. A large-scale cohort study on the relationship between diet and selected cancers of digestive organs. In : *Gastrointestinal Cancer : Endogenous Factors (Banbury Report 7)*, 1981, 409-429, Cold Spring Harbor Laboratory Press, Cold Spring Harbor.

HJERMANN., HOCHÉ I, LEREN P. Oslo study diet and anstismoking trial. Results after 102 months. *Am. J. Med.*, 1998 6, 80 (Suppl 2A):7:11

HOPKINS P.N. Effects of dietary cholesterol on serum cholesterol : a meta-analysis and review. *Am. J. Clin. Nutr.*, 1992, 55 : 1060-1070

HORTON T.J., DROUGAS H., BRACHEY A., REED G.W., PETERS J.C., HILL .J.O. Fat and carbohydrate overfeeding in humans : different effects on energy storage. *Am J Clin Nutr*, 1995 ; 62 : 19-29.

HOWE G.R., BENITO E., CASTELLATO R. et al. Dietary intake of fiber decreased risk of cancers of colon and rectum : evidence from the combined analysis of 13 case-control studies *JNCI*, 1992, 84, 1887-96

HU F.B., STAMPFER M.J., MANSON J.E., RIMM E.B., WOLK A., COLDITZ G.A., HENNEKENS C.H., WILLETT W.C. Dietary intake of a linolenic acid and risk of fatal ischemic heart disease among women. *Am. J. Clin. Nutr.*, 1999, 69, 890-7

HU FB, STAMPFER MJ, MANSON JE. Dietary fat intake and the risk of coronary heart disease in women. *N Engl J Med*, 1997, 337: 1491-1499

IFN. L'étiquetage nutritionnel : de l'information aux allégations. Brochure IFN sur l'étiquetage nutritionnel. Brochure DGCCRF. Lettre Scientifique IFN, n°55, février 1998.

INSEE. Annuaire Statistique de la France, 1999

INSERM. Expertise Collective Dénutrition, 1999

INSERM. Ostéoporose : stratégies de prévention et de traitement, Expertise collective. INSERM, 1997.

Institut français pour la nutrition. Charte pour l'élaboration et la diffusion en milieu scolaire de matériels pédagogiques dans le domaine de l'alimentation et de la nutrition. Paris, février 2000.

International Obesity Task Force (IOTF), WHO. Obesity : preventing and managing the global epidemic. Report of a WHO consultation on obesity. Geneva, 3-5 June 1997 (WHO/NUT/NCD/98.1) : 1998

Ip C., Lisk D.L. and Stoewsand G.S. Mammary cancer prevention by regular garlic and selenium enriched garlic. *Nutr Cancer*, 1992, 17, 279-286

JACOBS D.R., MEYER D.R., KUSHI L.H., FOLSOM A.R. Whole grain intake may reduce the risk of ischemic heart disease death in post menopausal women : the Iowa Women's Health. *Am. J. Clin. Nutr*, 1998, 68, 248-57

KAKS R., RINALDI A., LUKANOVA A., BERRINO F., HALLMANS G., BERGLUND G., TONIOLO P., PEETERS P., GANN P., DECHAUD H. Endogenous hormones and cancers of the colorectum, prostate, breast, endometrium and ovary. IARC Biennial Report 1998-1999. Lyon, International Agency for Research on Cancer, 2000

KATAN M.B., HOLLMAN P.C. Dietary flavonoids and cardiovascular disease. *Nutr. Metab. Cardiovasc. Dis.*, 1998, 8, 1-4

KEYS A (ed) (7 articles). Coronary heart disease in seven countries. *Circulation*, 1970; 41 (suppl 1): 120-122

KEYS A., TAYLOR H. L., BLACKBURN H.W. et al. The diet and 15 years death rate in Seven Countries Studies. *Am. J. Epidemiol*, 1986, 124, 903-915.

KHURI F.R. AND LIPPMAN S.M. Lung cancer chemoprevention. *Semin Surg Oncol*, 2000, 18 (2) : 100-5

KLESGES R.C., KLESGES L.M., HADDOCK C.K., ECK L.H. A longitudinal analysis of the impact of dietary intake and physical activity on weight change in adults. *Am J Clin Nutr*, 1992 ; 55 : 818-22.

KNEKT P. Vitamin E and cancer: epidemiology. *Ann N Y Acad Sc*, 1992, 669: 269-279.

KNEKT P., AROMAA A., MAATELA J. et al. Serum vitamin E and risk of cancer among Finnish men during a 10-year follow-up. *Am J Epidemiol*, 1988, 127: 28-41.

KNEKT P., REUNANEC A., JARVINEN R., SEPPANEN R., HELIOVAARA M., AROMAA A. Antioxydant vitamin intake and coronary mortality in a longitudinal population study. *Am. J. Epidemiol.*, 1994, 139, 1180-9

KRITCHEWSKY S.B. Beta-carotene, carotenoids and the prevention of coronary heart disease. *J. Nutr.*, 1999, 129, 5-8

KROMHOUT D., BOSSCHIETER E.B., COR DE LEZENNE COULANDER. The inverse relation between fish consumption and 20 year mortality from coronary heart disease. *N. Engl. J. Med.*, 1985, 312, 1205-97

KROMHOUT D., DELEZENNE COULANDER C. Diet prevalence and 10 year mortality from coronary heart disease in 871 middle-aged men. *Am. J. Epidemiol.*, 1984, 119, 733-41

KUSHI LH, LEW RA, STARE FJ et al. Diet and 20-year mortality from coronary heart disease. The Ireland-Boston diet-heart study *N Engl J Med*, 1985, 312: 811-818

LABAT J. La population étrangère en 1990 par nationalité. *Insee Première*, 1992, 217 :1-4.

LAFAY L., VRAY M., BOUTE D., BASDEVANT A., and the FLVS study group. Food and nutritional data for a population from northern France : the Fleurbaix Laventie Ville Santé (FLVS) study. *Revue d'Epidémiologie et de Santé Publique*, 1998, 46, 263-275

LAHLOU S. *Penser manger.* , Paris, Presses Universitaires de France, 1998.

LAIRON D. Dietary fibres : effects on lipid metabolism and mechanisms of action. *Eur. J. Nutr.*, 1996 ; 50:125-133

LE FRANCOIS P., CALAMASSI-TRAN G., HEBEL P., RENAULT C., LEBRETON S., VOLATIER J-L. Food and nutrient intake outside the home of 629 French people of fifteen years and over. *Eur J Clin Nutr.* 1996 Dec ; 50 (12) :826-31.

LECERF J.M. Alcoholisation et pathologies cardiovasculaires. *Abstract Cardio*, 1999, 316, 13-17.

LECERF J.M. Les acides gras trans : fin de la controverse. *Act. Med. Int. Métabolismes-Hormones-Nutrition* 1998, 2,19-26

LECERF J.M. Nutrition, antioxydants et athérosclérose. *Rev. Fr. Endocrino Clin.*, 1997, 38, 119-41.

LEHINGUE Y., FASSIO F., MOMAS I., DAURES J-P. Surveillance épidémiologique des enfants des écoles maternelles de l'Hérault lors des bilans de santé du service de protection maternelle et infantile. *Rev.Epidémiol.Santé Publique*, 1992 ;40 :25-32.

LEHINGUE Y., PICOT M-C., MILLOT L., FASSIO F. Accroissement de la prévalence de l'obésité chez les enfants de 4-5 ans dans un département français entre 1988 et 1993. *Rev Epidemiol Santé Pub* 1996; 44: 37-46.

LEIBEL R.L., HIRSCH J., APPEL B.E., CHECANI G.C. Energy intake required to maintain body weight is not affected by wide variation in diet composition. *Am J Clin Nutr*, 1992 ; 55: 350-55.

LEVY E. ET AL. The economic cost of obesity : the french situation. *International journal of obesity and related metabolic disorders*, 1995, 19 : 788-793

LEVY E., LE PEN C. Le coût des maladies coronariennes. *Projections, la santé au futur*. 1990, 2, 135-148

LEVY E., LE PEN C. Le coût des maladies coronariennes. *Projections, la santé au futur*. 1990, 2, 135-148

LIAO F., FOLSOM A.R., BRANCATI F.L. Is low magnesium concentration a risk factor for coronary heart disease ? The Atherosclerosis Risk In Communities (ARIC) Study

LICHTMAN S.W., PISARSKA K., BERMAN E.R. Discrepancy between self-reported and actual caloric intake and exercise in obese subjects. *N Engl J Med*, 1992 ; 327 : 1893-8.

LISSNER L., HEITMANN B.L. Dietary fat and obesity: evidence from epidemiology. *Eur J Clin Nutr*, 1995 ; 49: 79-90.

LISSNER L., HEITMANN B.L., BENGTSSON C. Low-fat diets may prevent weight gain in sedentary women : prospective observations from the population study of women in Gothenburg, Sweden. *Obes Res*, 1997 ; 5 : 43-8.

LIU S., STAMPFER M.J., HU F.B., GIOVANNUCCI E., RIMM E., MANSON J.E., HENNEKENS C.H. Whole grain consumption and risk of coronary heart disease : results from the Nurse's Health Study. *Am. J. Clin. Nutr.*, 1999, 70, 412-9

MA J., POLACK M.N., GIOVANNUCCI E., CHAN J.M., TAO Y., HENNEKENS C.H., STAMPFER M.J. Prospective study of colorectal cancer risk in men and plasma levels of insulin-like growth factor (IGF)-I and IGF-Binding Protein-3. *J Natl Cancer Inst* (1999b); 91: 620-5.

MA J., STAMPFER M.J., CHRISTENSEN B, GIOVANNUCCI E., HUNTER D.J., CHEN J., WILLETT W.C., SELHB J., HENNEKENS C.H., GRAVEL R., ROZEN R.. A polymorphism of the methionine synthase gene : association with plasma folate, vitamin B12, homocyst(e)ine, and colorectal cancer risk. *Cancer Epidemiol Biomarkers Prev.* (1999a). 8 (9) : 825-9.

MA J., STAMPFER M.J., GIOVANNUCCI E., ARTIGAS C., HUNTER D.J., FUCHS C., WILLETT W.C., SELHUB J., HENNEKENS C.H., ROZEN R.. Methylenetetrahydrofolate reductase polymorphism, dietary interactions, and risk of colorectal cancer. *Cancer Res*, 1997, 57 (6) : 1098-102

MAILLARD G., CHARLES M-A., THIBULT N., FORHAN A., BASDEVANT A., ESCHWEGE E. Evolution des prévalences du surpoids et de l'obésité entre 1980 et 1991 dans deux échantillons représentatifs des ménages français. Etudes "Santé et soins médicaux" INSEE 1980-81 et 1991-92. 15ème Conférence Annuelle de l'Association Française d'Etudes et de Recherches sur l'Obésité, Paris, 1997.

MARPSAT M., FIRDION J. Les personnes sans domicile à Paris. *In*: Pumain D., Mattei M. eds. Données urbaines. Paris : Anthropos, 1998 :217-230.

MARTIN R.E.,BARLOW S.M. (eds) Health effects of omega 3 fatty acids in sea foods

MASON J.B. Folate status : effects on carcinogenesis *In* : Bailey L.B. ed. Folate in Health and disease. New York : Marcel Dekker, Inc., 1995, 361-378

MC LENNAN R., MACRAE F., BAIN C., BATTISTUTTA D., CHAPUIS P., GRATTEN H., LAMBERT J., NEWLAND R.C., NGU M., RUSSELL A., WARD M., WAHLQVIST M.L. Randomized trial of intake of fat, fiber, and beta carotene to prevent colorectal adenomas. *J Nat Cancer Inst*, 1995, 87, 1760-1766

MCKEOWN-EYSSSEN G.E., BRIGHT-SEE E., BRUCE W.R. AND JAZMAJI V. A randomized trial of a low fat high fibre diet in the recurrence of colorectal polyps. Toronto Polyp Prevention Group. *J Clin Epidemiol.*, 1994, 47, 525-536

MEFLAH K., CHERBUT C., RIBOLI E., KAAKS R., CORPET D. Fibres alimentaires et cancer colorectal. *In* : Riboli E., Decloître F., Collet-Ribbing C. Alimentation et cancer : Evaluation des données scientifiques. Lavoisier, Paris, 1996, 115-125.

MENEGOZ F. , BLACK R.J., ARVEUX P., ET AL . Cancer Incidence and mortality in France in 1975-1995. *Eur. J. Cancer Prev.* 1997 ; 6 : 442-466

MENETON P., JEUNEMAITRE X., MENARD J., Sel et hypertension : un dossier qui s'épaissit. *La Recherche* 1998 ; 312 : 50-56.

MENSINK R.P., KATAN M.B. Effect of dietary fatty acids on serum lipids and lipoproteins. A meta-analysis of 27 trials. *Arterioscler. and Thromb.*, 1992, 12 : 911-919

MICHAUD C., FEUR E., GERBOUIN-REROLLE P., LEYNAUD-ROUAUD C., CHATEIL S., GOURDON M. Restauration scolaire, alimentation des jeunes et précarité : premiers résultats. Colloque "Alimentation des collégiens et des lycéens : enjeux de santé et de société", 1999. Conseil Général du Val de Marne, Créteil.

MIETTINEN M., TURPEINEN O., KARNOVEN M.J., ELOSUO R., PAAVILAINEN E.

MILLS J.L., KIRKE P.N., MOLLOY A.M. et al. Methylenetetrahydrofolate reductase thermolabile variant and oral clefts. *Am J Med Gen*, 1999, 86, 71-74.

Ministère de l'Éducation Nationale, de la Recherche et de la Technologie. Circulaire du 9 juin 1971 relative à la santé scolaire et la nutrition de l'écolier, Journal Officiel du 24 septembre 1971.

Ministère de l'Éducation Nationale, de la Recherche et de la Technologie. Accueil des enfants et adolescents atteints de troubles de la santé. Circulaire 99-181 du 10 novembre 1999, Bulletin Officiel n° 41 du 18 novembre 1999.

Ministère de l'éducation nationale, de la recherche et de la technologie. Circulaire n°98-108 sur les comités d'éducation à la santé et à la citoyenneté, 1998.

Ministère de l'éducation nationale, de la recherche et de la technologie. Circulaire n°98-237 sur les orientations pour l'éducation à la santé à l'école et au collège, 1998.

Ministère de l'Économie, des Finances et de l'Industrie. Recommandations relatives à la nutrition. Direction des Affaires Juridiques, brochure JO n° 5723): 1999, 20p.

MOLKHOU P. Allergies alimentaires chez l'enfant 1ère partie. Revue internationale de pédiatrie, 1999, n° 296-5

MOLKHOU P. Allergies alimentaires chez l'enfant. 2ème partie. Revue internationale de pédiatrie, 1999 ; n° 296-6

MOLKHOU P. Les allergies de l'enfant en milieu scolaire. Réalités Pédiatriques , 2000; 48.

MONGET A-L., GALAN P., PREZIOSI P., KELLER H., BOURGEOIS C., ARNAUD J., FAVIER A., HERCBERG S. Micronutrient status in elderly people. *Int. J. Vit. Nutr. Res.*, 1996, 66, 71-76.

MOORE J.J., WOLLMER W.M., APPEL J.L., SACKS F.M., SVETKEY L.P., VOGT J.M., CONLIN P.R., SIMONS-MORTON D.G., CARTER EDWARDS L., HARSHA D.W.

MORRIS D.L., KRITCHEVSKY S.B., DAVIS C.E. Serum carotenoids and coronary heart disease. *JAMA*, 1994, 272, 1439-41

MOUTARDIER M. Les conditions de vie des étrangers se sont améliorées depuis dix ans. *Economie et Statistique*, 1991 ; 242 : 69-82.

MRC Vitamin Study Research Group. Prevention of neural tube defects : results of the medical research council vitamin study. *Lancet*, 1991, 338, 131-137

MURGATROYD P.R., GOLDBERG G.R., LEAHY F.E., GILSENAN M.B., PRENTICE A.M. Effects of inactivity and diet composition on human energy balance. *Int J Obes*, 1999 ; 23 : 1269-75.

NESS A.R., POWLES J.W. Fruit and vegetables, and cardiovascular disease : a review. *Int. J. Epidemiol.*, 1997, 26, 1-13

NUTTENS M.C., FOMON M., RUIDAVETS J.B., ARVEILER D., DUCIMETIÈRE P. LECERF J.M., RICHARD J.C., CAMBOU J.P., SIMON C., SALOMEZ J.L. Relationship between smoking and diet : the MONICA France project. *J. Intern. Med.*, 1992, 231, 349-56

NYSSÖNEN K., PARVIAINEN M.T., SALONEN R., TVOMILEHTO J., SALONEN J.T. Vitamin C deficiency and risk of myocardial infarction : prospective population study of men from eastern Finland. *Br. Med. J.*, 1997, 314, 634-8

ObEpi/SOFRES. *L'obésité en France : une enquête SOFRES pour Produit Roche auprès de 30921 Français. Rapport*, 1997

OMENN G.S., GOODMAN G.E., THORQUIST M.D. et al. Effects of a combination of beta-carotene and vitamin A on lung cancer and cardiovascular disease. *N Eng J Med*, 334 : 1150-1155, 1996.

OOMS ME, ROOS JC, BEZMER PD, VAN DER VIJCH WJF, BOUTER LM, LIPS P (1995). Prevention of bone loss by vitamin D supplementation in elderly women : a randomized double blind trial. *J Clin Endocrinol Metab*, 80 :1052-58.

OPPERT J-M., BERTRAISS S., PREZIOSI P., GALAN P., GUY-GRAND B., HERCBERG S. Activité et inactivité physique dans un échantillon national d'adultes d'âge moyen : l'étude SU.VI.MAX (abstract). Réunion Annuelle de l'ALFEDIAM (Grenoble, Mars 2000).

OPPERT J-M., ROLLAND-CACHERA M-F. *Prevalence, évolution dans le temps et conséquences économiques de l'obésité*. *Médecine/sciences* 1998, 11, 939-943.

PAERATAKUL S., POPKIN B.M., KEYOU G., ADAIR L.S., STEVENS J. Changes in diet and physical activity affects the body mass index of Chinese adults. *Int J Obes*, 1998 ; 22 : 424-431.

PARKS E.J., HELLERSTEIN M.K. Carbohydrate induced hypertriglycerolemia : historical perspective and review of biological mechanisms. *Am. J. Clin. Nutr*, 2000, 71, 412-33

PASPATIS G.A., KALAFATIS E., OROS L., XOURGIAS V., KOUTSIOUMPA P. AND KARAMANOLIS D. Folate status and adenomatous colonic polyps : a colonoscopically controlled study. *Dis Colon Rectum*, 1995, 38, 64-68

PATE R.R., PRATT M., BLAIR S.N. et al. Physical activity and public health a recommendation from the Centers for disease control and prevention and the American College of sports medicine. *JAMA*, 1995 ; 273 : 402-7.

PHILLIPS R.L., SNOWDON D.A. Dietary relationships with fatal colorectal cancer among Seventh-Day Adventists. *J Nat Cancer Inst*, 1985, 74, 307-317.

POTIER DE COURCY G. Actualités sur les folates. *Let Sc. IFN*, 71, janvier 2000.

PRATT M., MACERA C.A., BLANTON C. Levels of physical activity and inactivity in children and adults in the United States : current evidence and research issues. *Med Sci Sports Exerc* 1999 ; 31 (Suppl 11) : S526-33.

PRENTICE A.M., JEBB S.A. Obesity in Britain : gluttony or sloth? *Br Med J*, 1995 ; 311 : 437-39.

PREZIOSI P., GALAN P., DEHEEGER M., HERCBERG S. Consommation alimentaire d'un échantillon représentatif de la population du Val-de-Marne : 1. Contribution des aliments à l'apport énergétique. *Revue d'Epidémiologie et de Santé Publique*, 1991, 39 : 221-232.

PROBST-HENSCH N.M., SINHA R., LONGNECKER M.P., WITTE J.S., INGLES S.A., FRANKL H.D., LEE E.R., HAILE R.W. Meat preparation and colorectal adenomas in a large sigmoidoscopy-based case-control study in California (USA). *Cancer Causes and Control*, 1997, 8, 175-183.

QUERE I., BELLET H., HOFFET M. et al. A woman with five consecutive fetal deaths : case-report and retrospective analysis of hyperhomocysteinemia prevalence in 100 consecutive women with recurrent miscarriage. *Fertility and Sterility*, 1998, 69, 152-254.

RAULIN A. Consommation et adaptation urbaine des minorités en région parisienne. *Soc Contemporaines*, 1990, 4 :19-36.

RAVUSSIN E., VALENCIA M.E., ESPARZA J., BENNETT P.H., SHULZ L.O. Effects of a traditional lifestyle on obesity in Pima Indians. *Diabetes Care*, 1994 ; 17: 1067-74

RENAUD S. What is the epidemiologic evidence for the thrombogenic potential of dietary long chain fatty acids. *Am. J. Clin. Nutr.* , 1992, 56, 823S-4S

Réseau FRANCIM. Direction générale de la santé. *Le cancer en France : incidence et mortalité, situation en 1995, évolution entre 1975 et 1995*. Paris : La Documentation Française, 1998,182 p.

RIBOLI E. Cancer de l'estomac. In : Riboli E., Decloître F, Collet-Ribbing C . *Alimentation et cancer : Evaluation des données scientifiques*. Lavoisier, Paris, 1996, 115-125.

RIBOLI E., DECLOITRE F., COLLET-RIBBING C. *Alimentation et cancer : évaluation des données scientifiques*. CNERNA/CNRS. Editions Tec-Doc, Lavoisier, 1996, 534 pages

RIBOLI E., DECLOITRE F., COLLET-RIBBING C. *Alimentation et Cancer : Evaluation des données Scientifiques*. Paris, Lavoisier, 1996.

RIEMERSMA R.A., SERGENT C.A. Dietary fish oil and ischemic arrhythmias. *J. Intern. Med.*, 1989, 225, (suppl), 111-16

RIGAUD D., GIACCHETTI I., DEHEEGER M., BORYS J-M., VOLATIER J-L., LEMOINE A., CASSUTO D-A. Enquête française de consommation alimentaire . I. Energie et macronutriments. *Cahiers de Nutrition et Diététique*, 1997, 32, 379-389.

RIMM E.B., STAMPFER M.J., ASCHERIO A., GIOVANNUCCI E., COLDITZ G.A., WILLETT W.C. Vitamin E consumption and the risk of coronary heart disease in man. *N. Engl. J. Med.* 1993, 328, 1450-6

RIMM EB, ASCHERIO A, GIOVANNUCCI E, et al. Vegetable, fruit, and cereal fiber intake and risk of coronary heart disease among men. *JAMA*. 1996;275:447-51.

RISSANEN A.M., HELIÖVAARA M., KNEKT P., REUNANEN A., AROMAA A. Determinants of weight gain and overweight in adult Finns. *Eur J Clin Nutr*, 1991 ; 45 : 410-30.

ROBERT J-J. Prise en charge du diabète de l'enfant et de l'adolescent. *Cahers Nutr. Diét*, 1999, 34 hors série 1, 135-143.

ROLLAND-CACHERA M.F., COLE T.J., SEMPE M., TICHET J., ROSSIGNOL C, CHARRAUD A. Variation of the Wt/Ht<sup>2</sup> index from birth to age 87 years. *Eur J Clin Nutr*, 1991 ; 45: 13-21..

ROLLAND-CACHERA M-F., DEHEEGER M., BELLISLE F., SEMPE M., GUILLOUD-BATAILLE M., PATOIS E. Adiposity rebound in children : a simple indicator for predicting obesity. *Am J Clin Nutr*, 1984 ; 39 : 129-135.

ROLLAND-CACHERA M-F., SPYCKRELLE Y., DESCHAMPS J-P. : Evolution of pediatric obesity in France. *Int J Obesity* 1992 ;16 (suppl 1),5.

ROQUEBRUNE J-P. *Le livre de la prévention cardio-vasculaire*. Fédération française de cardiologie, 1994

ROQUEBRUNE J-P. Le livre de la prévention cardio-vasculaire. Fédération française de cardiologie, 1994

SABATE J. Nut consumption, vegetarian diets ischemic heart disease risk, and all cause mortality : evidence from epidemiologic studies. *Am. J. Clin. Nutr.* 1999, 70, 500 S-503 S

SALEM G., RICAN S., KURZINGER M-L. Géographie d'une crise française (dossier Obésité, l'épidémie), *La Recherche*, 2000, 330, 31-36

SALMERON J., ASCHERIO A., RIMM E.B., COLDITZ G.A., SPIEGELMAN D., JENKINS D.J., STAMPFER M.J., WING A.L., WILLETT W.C. Dietary fiber, glycemic load and risk of NIDDM in men. *Diabetes care*, 1997a, 20, 545-50

SALMERON J., ASCHIERO A., RIMM E.B, COLDITZ G.A, SPIEGELMAN D., JENKINS D.J, STAMPFER M.J., WING A.L, WILLETT W.C. Dietary fiber, glycemic load, and risk of non-insulin-dependent diabetes mellitus in men. *Diabetes care*, 1997, 20 (4), 545-50.

SALMERON J., MANSON J.E., STAMPFER M.J., COLDITZ G.A., WING A.L., WILLETT W.C. Dietary fiber, glycemic load, and risk of non insulin dependent diabetes mellitus in women. *JAMA* 1997b, 277, 472-7

SALMERON J., MANSON J.E., STAMPFER M.J., COLDITZ G.A., WING A.L., WILLETT W.C. Dietary fiber, glycemic load, and risk of non-insulin-dependent diabetes mellitus in women. *JAMA*, 1997, 277 (6), 472-7.

SARIS W.H.M. Physical inactivity and metabolic factors as predictors of weight gain. *Nutr Rev*, 1996 ; II : S110-15.

SCHIFFMAN M.H. AND FELTON J.S. Fried foods and the risk of colon cancer (letter to the editor). *Am. J. Epidemiol.*, 1990, 131, 376-378

SEIDELL J.C. Dietary fat and obesity : an epidemiologic perspective. *Am J Clin Nutr*, 1998 ; 67 (Suppl): S546-50

SEIDELL J.C., FLEGAL K.M. Assessing obesity: classification and epidemiology. *Br Med Bull* 1997; 53: 238-252.

SEMPE M., PEDRON G., ROY-PERNOT M-P. Auxologie, méthode et séquences. Paris: Théraplix, 1979 ;1 : 205p.

SHEKELLE RB, SHRYOCK AM, PAUL O, et al. Diet, serum cholesterol, and death from coronary heart disease. *N Engl J Med* 1981, 304: 65-70

SILMAN A., HOCHBERG M.C. *Epidemiology of rheumatic diseases*. Oxford, Oxford University Press, 1993.

SIMON C., ARVEILER D., RUIDAVETS J-B., AMOUYEL P., BINGHAM A., SCHLIENGER J-L. Evolution pondérale de 1986 à 1996 dans 3 régions françaises (Projet MONICA). *Nutr Clin Métab*, 1997; 11 (Suppl) : 325.

SIMON J.A., HUDES E.S. BROWNER W.S. Serum ascorbic acid and cardiovascular disease. Prevalence in US adults. *Epidemiology*, 1998, 9, 316-21

SINGH R.B., RASTOGI S.S., VERMA R., et al. An Indian experiment with nutritional modulation in acute myocardial infarction. *Am. J. Cardiol*, 1992; 69: 879-85

SIRTORI C.R., LOVATI M.R., MANZONI C., GIANAZZA E., BONDIOLI, STAELS B., AUWERX J. Reduction of serum cholesterol by soy proteins : clinical experience and potential molecular mechanisms. *Nutr. Metab. Cardiovasc. Dis.* 1998, 8, 334-340

SISCOVICK D.S., RAGHUNATHAN T.E., KING I., WEINMANN S. et al. Dietary intake and cell membrane levels of long chain n-3 polyunsaturated fatty acids and the risk of primary cardiac arrest. *JAMA* 1995, 274, 1363-7

STAMLER J, WENTWORTH D, NEATON JD, for the MRFIT research group. Is the relationship between serum cholesterol and risk of premature death from coronary heart disease continuous and graded ? Findings in 356,222 primary screenees of the Multiple Risk Factor Intervention Trial (MRFIT). *JAMA* 1986; 256: 2823-8

STAMPFER M., WILLETT W.C. Dietary fat and risk of coronary heart disease in men : cohort follow-up study in the United States. *Br. Med. J.*, 1996, 313, 84-90

STAMPFER M.J., HENNEKENS C.H., MANSON J.E., COLDITZ G.A., ROSNER B., WILLETT W.C. Vitamin E consumption and the risk of coronary disease in women. *N. Engl. J. Med.* 1993, 328, 1444-9

STEMMERMAN G.N., NOMURA A.M.Y., HEILBRUN L.K. Dietary fat and the risk of colorectal cancer. *Cancer Res.*, 1984, 44, 4633-4647

The Alpha-Tocopherol, Beta Carotene Cancer Prevention Study Group. The effect of vitamin E and beta carotene on the incidence of lung cancer and other cancers in male smokers. *N Eng J Med*, 330 : 1029-1035, 1994.

TONIOLO P.G., LEVITZ M., ZELENIUCH-JACQUOTTE A., BANERJEE S. et al. A prospective study of endogenous estrogens and breast cancer in postmenopausal women. *J Natl Cancer Inst.*, 1995, 87; 190-197.

TREMBLAY A., BUEMANN B. Exercise-training, macronutrient balance and body weight control. *Int J Obes*, 1995; 19 : 79-86.

TUNSTALL-PEDOE H., KUULASMA K., MÄHÖNEN et al. Contribution of trends in survival and coronary event rates to changes in coronary heart disease mortality : 10 year-results from 37 WHO MONICA project population. Monitoring trends and determinants in cardiovascular disease. *Lancet*, 1999, May 8 : 353 (9164) : 1547-57.

TUNSTALL-PEDOE H., KUULASMA K., MÄHÖNEN et al. Contribution of trends in survival and coronary event rates to changes in coronary heart disease mortality : 10 yr-results from 37 WHO MONICA Project populations. *Lancet*, 1999, 353 : 1547-57.

TUNSTALL-PEDOE H., KUULASMA K., MÄHÖNEN et al. Contribution of trends in survival and coronary event rates to changes in coronary heart disease mortality : 10 yr-results from 37 WHO MONICA Project populations. *Lancet*, 1999, 353 : 1547-57.

TWISK J.W.R., KEMPER H.C.G., VAN MECHELEN W., POST G.B., VAN LENTHE F.J. Body fatness: longitudinal relationship of body mass index and the sum of skinfolds with other risk factors for coronary heart disease. *Int J Obes*, 1998; 22: 915-922.

U.S. Department of Health and Human Services. Physical activity and health : A report of the Surgeon General. Atlanta, GA, 1996

VAINO H., MAGEE P.N., MCGREGOR D.B., MC MICHAEL A.J.. Mechanisms of carcinogenesis and risk identification (IARC Scientific Publication, 1992, No. 116) Centre International de Recherche sur le Cancer, Lyon.

VALEIX P., ZAREBSKA M., PREZIOSI P., GALAN P., PELLETIER B., HERCBERG S. Iodine deficiency in France. *Lancet* 1999 ; 353 ; 1766-1767.

VAN DER PUT N.M.J., STEEGERS-THEUNISSEN R.P.M., FROST P. et al. Mutated methylenetetrahydrofolate as a risk factor for spina bifida. *Lancet*, 1995, 346, 1070-1071.

VAN POPPEL G., GOLDBOHN R.A. Epidemiologic evidence for bêta-carotene and cancer prevention. *Am J Clin Nutr*, 1995, 62: 1393S-1402S.

VERLANGIERI A.J., KAPEGHIAN J.C, EL-DEAN S., BUSH M. Fruit vegetable consumption and cardiovascular disease mortality, *Med Hypotheses*, 16 :7-15, 1985.

VOL S., TICHET J., ROLLAND-CACHERA M-F. Trends in the prevalence of obesity between 1980 and 1996 among French adults and children. Abstract , ICO Paris, 1998.

VOLATIER J-L., VERGER P. French food and nutrient intake data. *Br.J.Nutr.* 1999 ; 81:S57-S59

VORSTER H.H., CUMMINGS J.H., VELDMAN F.J. Diet and hemostasis : time for nutrition science to get more involved. *Br. J. Nutr.* 1997, 77, 671-684

WANNER P., BOUCHARDY C., KHLAT M. Causes de décès des immigrés en France 1979-1985. *Migrations Santé*, 1997, 91: 9-38.

WANNER P., KHLAT M., BOUCHARDY C. Habitudes de vie et comportements en matière de santé des immigrés de l'Europe du Sud et du Maghreb en France. *Rev Epidemiol Santé Publique*, 1995 ;43 :548-559.

WCRF/AICR. Food, nutrition and the prevention of cancer : a global perspective. World cancer research fund/American institute of cancer research, 1997

WESTRATE JA, MEIJER GW. Plant sterol-enriched margarines and reduction of plasma total- and LDL-cholesterol concentrations in normocholesterolaemic and mildly hypercholesterolaemic subjects. *Eur J Clin Nutr* 1998, 52: 334-343.

WHO MONICA Project populations. *Lancet*, 1999, 353 : 1547-57.

WHO Monica. Project prepared by Tunstall-Pedoe H., Kuulasmaa K., Amouye P. et al. Myocardial infarction and coronary deaths in the WHO MONICA project. *Circulation*, 1994, 90, 583-612.

WILLETT W.C. Dietary fat and obesity: an unconvincing relation. *Am J Clin Nutr*, 1998 ; 68 : 1149-50.

WILLETT W.C. Is dietary fat a major determinant of body fat ? *Am J Clin Nutr*, 1998 ; 67 (Suppl): S556-62.

WILLETT W.C., STAMPFER M.J., COLDITZ G.A. ET AL. Relation of meat fat and fiber intake to the risk of colon cancer in a prospective study among women. *N Engl J Med*, 1990, 323, 1664-1672

WOO K.S., CHOOK P., RAITAKARI O.T., McQUILLAN B., FENG J.Z., CELERMAJER DS. Westernization of Chinese adults and increased subclinical atherosclerosis. *Artheroscler. Thromb. Vasc. Biol.* 1999, 19: 2487-93.

World Health Organisation. Obesity . preventing and managing the global epidemic, Report of a WHO Consultation on Obesity, Geneva, 3-5 june 1997. WHO, Genève, 1998, 276p.

World. Rev. Nutr., Basel. Karger 1991, 66, 205-16

YATES J.R., FERGUSSON-SMITH M.A., SHENKIN A., GUZMAN-RODRIGUEZ R., WHITE M., CLARCK B.J. Is disordered folate metabolism the basis for the genetic predisposition to neural tube defects ? Clinical Genetics, 1987, 31, 529-533.

ZOCK P.L., KATAN M.B. Butter, Margarine and serum lipoprotein. Atherosclerosis 1997, 131:7-16

## Liste des membres du HCSP

### Haut Comité de la santé publique

8, avenue de Ségur

75350 Paris 07 SP

Téléphone : 01 40 56 79 80

Télécopie : 01 40 56 79 49

Mél : [hcsp-secr-general@sante.gouv.fr](mailto:hcsp-secr-general@sante.gouv.fr)

<http://www.hcsp.ensp.fr>

### Présidente

Dominique Gillot,  
secrétaire d'État à la Santé  
et aux Handicapés

### Vice-Président

Gilles Brücker

### Rapporteur général

Roland Sambuc

### Membres

Lucien Abenheim

Maryvonne Bitaud-Thépaut

Jean-François Bloch-Lainé

François Bonnaud

Raoul Briet

Gilles Brücker

Yves Charpak

Pascal Chevit

Alain Coulomb

Édouard Couty

Daniel Defert

Jean-François Dodet

Isabelle Ferrand

Francis Giraud

Odette Grzegorzulka

Claude Griscelli

Pierre Guillet

Gilles Johanet

Jacques Lebas

Catherine Peckham

René Roué

Roland Sambuc

Simone Sandier

Anne Tallec

Denis Zmirou

**Secrétaire général**

Lucien Abenhaim,  
directeur général de la Santé

**Secrétaire général adjoint**

Geneviève Guérin